Ilaris

Prior Authorization Request

Your patient's benefit plan requires prior authorization for certain medications. In order to make appropriate medical necessity determinations, your patient's diagnosis and other clinical information is required. **Please complete the information requested on the form below and fax this form to Priority Partners, toll-free at 1-866-212-4756** to initiate the review process. If you have questions regarding the prior authorization please contact Priority Partners at 888-819-1043 Option 4**.**

Patient's Name: _____ **Date**: _____
Patient's ID: _____ **Patient's Date of Birth:** _____
Physician's Name: _____
Specialty: _____ **NPI#:** _____
Physician Office Telephone: _____ **Physician Office Fax:** _____

Referring Provider Info: ❑ Same as Requesting Provider
Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Rendering Provider Info: ❑ Same as Referring Provider ❑ Same as Requesting Provider
Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Approvals may be subject to dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Required Demographic Information:

Patient Weight: _____*kg*

Patient Height: _____*cm*

Please indicate the place of service for the requested drug:

❑ *Ambulatory Surgical* ❑ *Home* ❑ *Off Campus Outpatient Hospital*
❑ *On Campus Outpatient Hospital* ❑ *Office*

Drug Information:

*Strength/Measure*_____ *Units* ❑ ml ❑ Gm ❑ mg ❑ ea ❑ Un
*Directions(sig)*_____ *Route of administration*_____
*Dosing frequency*_____

Send completed form to: Priority Partners Fax: 1-866-212-4756

Criteria Questions:

What is the ICD-10 code? _____

1. Will the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic drug (e.g., Olumiant, Otezla, Xeljanz)?
❒ Yes, *Continue to 2*
❒ No, *Continue to 2*

2. Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic drug (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis?
❒ Yes, *Continue to 6*
❒ No, *Continue to 3*

3. Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [PPD], interferon-release assay [IGRA], chest x-ray) within 6 months of initiating therapy?
❒ Yes, *Continue to 4*
❒ No, *Continue to 4*

4. What were the results of the tuberculosis (TB) test?

❒Positive for TB (If checked, go to 5)

❒Negative for TB (If checked, go to 6)
❒Unknown (If checked, *no further questions*)

5. Which of the following applies to the patient?

❒Patient has latent TB and treatment for latent TB has been initiated (If checked, go to 6)

❒Patient has latent TB and treatment for latent TB has been completed (If checked, go to 6)

❒Patient has latent TB and treatment for latent TB has not been initiated (If checked, go to 6)
❒Patient has active TB (If checked, go to 6)

6. What is the patient's diagnosis?
❒Cryopyrin-Associated Periodic Syndromes (CAPS), including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS) (If checked, go to 7)

❒Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS) (If checked, go to 16)

❒Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD) (If checked, go to 24)

❒Familial Mediterranean Fever (FMF) (If checked, go to 31)

❒Systemic juvenile idiopathic arthritis (sJIA) (If checked, go to 39)

❒Polyarticular juvenile idiopathic arthritis (pJIA) (If checked, *no further questions*)

❒Gout flares (If checked, go to 49)

❒Pseudogout (also known as calcium pyrophosphate deposition disease) flares (If checked, go to 49)

❒Adult-onset Still's disease (AOSD) (If checked, go to 58)

❒Other, please specify. (If checked, *no further questions*)

7. Is the patient 4 years of age or older?
❒ Yes, *Continue to 8*
❒ No, *Continue to 8*

8. Is the requested drug being prescribed by or in consultation with a rheumatologist or immunologist?
❒ Yes, *Continue to 9*
❒ No, *Continue to 9*

9. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 10*
❒ No, *Continue to 12*

10. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒Yes (If checked, go to 12)

❒No (If checked, go to 11)
❒Unknown (If checked, go to 12)

11. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

12. What is the patient's diagnosis?

❒Familial cold autoinflammatory syndrome (FCAS) (If checked, go to 13)

❒Muckle-Wells syndrome (MWS) (If checked, go to 14)
❒Other (If checked, *no further questions*)

13. Does the patient have classic signs and symptoms of familial cold autoinflammatory syndrome (FCAS) (i.e., recurrent, intermittent fever and rash that were often exacerbated by exposure to generalized cool ambient temperature)?
❒ Yes, *Continue to 15*
❒ No, *Continue to 15*

14. Does the patient have classic signs and symptoms of Muckle-Wells syndrome (MWS) (i.e., chronic fever and rash of waxing and waning intensity, sometimes exacerbated by exposure to generalized cool ambient temperature)?
❒ Yes, *Continue to 15*
❒ No, *Continue to 15*

15. Does the patient have functional impairment limiting the activities of daily living?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

16. Is the requested drug being prescribed by or in consultation with a rheumatologist or immunologist?
❒ Yes, *Continue to 17*
❒ No, *Continue to 17*

17. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 18*
❒ No, *Continue to 20*

18. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒Yes (If checked, go to 20)

❒No (If checked, go to 19)
❒Unknown (If checked, go to 20)

19. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

20. Does the patient have chronic or recurrent disease activity?
❒ Yes, *Continue to 21*
❒ No, *Continue to 21*

21. Has the patient had active flares within the last 6 months? ***ACTION REQUIRED***: If Yes, please attach chart notes or medical record documentation indicating number of active flares within the last 6 months. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *Continue to 22*
❒ No, *Continue to 22*

22. What is the patient's Physician's Global Assessment (PGA) score? Indicate score. ***ACTION REQUIRED***: Please attach chart notes or medical record documentation indicating Physician's Global Assessment score.

❒Less than 2 ***ACTION REQUIRED***: Submit supporting documentation (If checked, go to 23)

❒2 or greater ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒Unknown (If checked, go to 23)

23. What is the patient's C-reactive protein (CRP) level in mg/L? Indicate in mg/L. ***ACTION REQUIRED***: Please attach laboratory result indicating patient's C-reactive protein (CRP) level.

_____mg/L ***ACTION REQUIRED***: Submit supporting documentation (*No further questions*)

24. Is the requested drug being prescribed by or in consultation with a rheumatologist or immunologist?
❒ Yes, *Continue to 25*
❒ No, *Continue to 25*

25. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 26*
❒ No, *Continue to 28*

26. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒Yes (If checked, go to 28)

❒No (If checked, go to 27)
❒Unknown (If checked, go to 28)

27. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

28. Has the patient had active flares within the last 6 months? ***ACTION REQUIRED***: If Yes, please attach chart notes or medical record documentation indicating number of active flares within the last 6 months. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *Continue to 29*
❒ No, *Continue to 29*

29. What is the patient's Physician's Global Assessment (PGA) score? Indicate score. ***ACTION REQUIRED***: Please attach chart notes or medical record documentation indicating Physician's Global Assessment score.

❒Less than 2 ***ACTION REQUIRED***: Submit supporting documentation (If checked, go to 30)

❒2 or greater ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒Unknown (If checked, go to 30)

30. What is the patient's C-reactive protein (CRP) level in mg/L? Indicate in mg/L. ***ACTION REQUIRED***: Please attach laboratory result indicating patient's C-reactive protein (CRP) level.

_____ mg/L ***ACTION REQUIRED***: Submit supporting documentation (*No further questions*)

31. Is the requested drug being prescribed by or in consultation with a rheumatologist or immunologist?
❒ Yes, *Continue to 32*
❒ No, *Continue to 32*

32. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 33*
❒ No, *Continue to 35*

33. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒Yes (If checked, go to 35)

❒No (If checked, go to 34)
❒Unknown (If checked, go to 35)

34. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

35. Does the patient have active disease with flares within the last 6 months? ***ACTION REQUIRED***: If Yes, please attach chart notes or medical record documentation indicating number of active flares within the last 6 months. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *Continue to 36*
❒ No, *Continue to 36*

36. What is the patient's C-reactive protein (CRP) level in mg/L? Indicate in mg/L. ***ACTION REQUIRED***: Please attach laboratory result indicating patient's C-reactive protein (CRP) level.

_____mg/L ***ACTION REQUIRED***: Submit supporting documentation (go to 37)

37. Has the patient had an inadequate response or intolerance to colchicine? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *Continue to 38*

38. Does the patient have a contraindication to colchicine? ***ACTION REQUIRED***: If Yes, please attach documentation of clinical reason to avoid therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

39. Is the patient 2 years of age or older?
❒ Yes, *Continue to 40*
❒ No, *Continue to 40*

40. Is the requested drug being prescribed by or in consultation with a rheumatologist?
❒ Yes, *Continue to 41*
❒ No, *Continue to 41*

41. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 42*
❒ No, *Continue to 45*

42. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒ Yes (If checked, go to 45)

❒ No (If checked, go to 43)
❒ Unknown (If checked, go to 45)

43. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *Continue to 44*
❒ No, *Continue to 44*

44. Which of the following has the patient experienced an improvement in from baseline? ***ACTION REQUIRED***: Please attach chart notes or medical record documentation supporting a positive clinical response.
❒ Number of joints with active arthritis (e.g., swelling, pain, limitation of motion) ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Number of joints with limitation of movement ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Functional ability ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Systemic features (e.g., fevers, evanescent rash, lymphadenopathy, hepatomegaly, splenomegaly, or serositis) ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ None of the above (If checked, *no further questions*)

45. Has the patient been diagnosed with active systemic juvenile idiopathic arthritis (sJIA)?
❒ Yes, *Continue to 46*
❒ No, *Continue to 46*

46. Has the patient ever received or is currently receiving a biologic (e.g., Humira) indicated for the treatment of active systemic juvenile idiopathic arthritis (excluding receiving the drug via samples or a manufacturer's patient assistance program)? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *Continue to 47*

47. Does the patient have active systemic features (e.g., fever, evanescent rash, lymphadenopathy, hepatomegaly, splenomegaly, or serositis)?
❒ Yes, *Continue to 48*
❒ No, *Continue to 48*

48. Has the patient had an inadequate response to non-steroidal anti-inflammatory drugs (NSAIDs) or systemic glucocorticoids? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

49. Is Ilaris being requested for the management of flares for gout or pseudogout (also known as calcium pyrophosphate deposition disease)?
❒ Yes, *Continue to 50*
❒ No, *Continue to 50*

50. Is the requested drug being prescribed by or in consultation with a rheumatologist?
❒ Yes, *Continue to 51*
❒ No, *Continue to 51*

51. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 52*
❒ No, *Continue to 54*

52. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒ Yes (If checked, go to 54)

❒ No (If checked, go to 53)
❒ Unknown (If checked, go to 54)

53. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

54. Has the patient had an inadequate response or intolerance to maximum tolerated doses of non-steroidal anti-inflammatory drugs (NSAIDs) or has a contraindication to NSAIDs? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried (if applicable), including response to therapy. If therapy is not advisable, please attach documentation of clinical reason to avoid therapy. ***ACTION REQUIRED***: Submit supporting documentation

❒ Yes, *Continue to 55*
❒ No, *Continue to 55*

55. Has the patient had an inadequate response or intolerance to maximum tolerated doses of colchicine or has a contraindication to colchicine? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried (if applicable), including response to therapy. If therapy is not advisable, please attach documentation of clinical reason to avoid therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *Continue to 56*
❒ No, *Continue to 56*

56. Has the patient had an inadequate response or intolerance to maximum tolerated doses of oral and injectable corticosteroids? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *Continue to 57*

57. Does the patient have a clinical reason to avoid repeated courses of corticosteroids? ***ACTION REQUIRED***: If Yes, please attach documentation of clinical reason to avoid therapy. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

58. Is the patient an adult (18 years of age or older)?
❒ Yes, *Continue to 59*
❒ No, *Continue to 59*

59. Is the requested drug being prescribed by or in consultation with a rheumatologist?
❒ Yes, *Continue to 60*
❒ No, *Continue to 60*

60. Is this request for continuation of therapy with the requested drug?
❒ Yes, *Continue to 61*
❒ No, *Continue to 64*

61. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

❒ Yes (If checked, go to 64)

❒ No (If checked, go to 62)
❒ Unknown (If checked, go to 64)

62. Has the patient achieved or maintained a positive clinical response to treatment as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
❒ Yes, *Continue to 63*
❒ No, *Continue to 63*

63. Which of the following has the patient experienced an improvement in from baseline? ***ACTION REQUIRED***: Please attach chart notes or medical record documentation supporting a positive clinical response.

❒ Number of joints with active arthritis (e.g., swelling, pain, limitation of motion) ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Number of joints with limitation of movement ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Functional ability ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ Systemic features (e.g., fevers, evanescent rash, lymphadenopathy, hepatomegaly, splenomegaly, or serositis) ***ACTION REQUIRED***: Submit supporting documentation (If checked, *no further questions*)
❒ None of the above (If checked, *no further questions*)

64. Has the patient been diagnosed with active adult-onset Still's disease (AOSD)?
❒ Yes, *Continue to 65*
❒ No, *Continue to 65*

65. Has the patient ever received or is currently receiving a biologic indicated for the treatment of active adult-onset Still's disease (excluding receiving the drug via samples or a manufacturer's patient assistance program)? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *Continue to 66*

66. Does the patient have active systemic features (e.g., fever, arthralgia/arthritis, evanescent rash, lymphadenopathy, hepatomegaly, splenomegaly, or sore throat)?
❒ Yes, *Continue to 67*
❒ No, *Continue to 67*

67. Has the patient experienced an inadequate response to a trial of nonsteroidal anti-inflammatory drugs (NSAIDs), corticosteroids, or a conventional synthetic drug (e.g., methotrexate)? ***ACTION REQUIRED***: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried. ***ACTION REQUIRED***: Submit supporting documentation
❒ Yes, *No Further Questions*
❒ No, *No Further Questions*

I attest that this information is accurate and true, and that documentation supporting this information is available for review if requested by CVS Caremark or the benefit plan sponsor.

X_____
Prescriber or Authorized Signature **Date (mm/dd/yy)**

Send completed form to: Priority Partners Fax: 1-866-212-4756